



# HARYANA STATE POLLUTION CONTROL BOARD

1st Floor, Phagna Tower, ward no 10, National Highway No.2, Near red Rocks Cinema, Palwal.

Email:- hspcbroguh@gmail.com

Website: www.hrocmmms.nic.in E-Mail - hspcbho@gmail.com

Telephone No.: 0172-2577870-73



No. HSPCB/Consent/ : 313111120GSMWCTE7714948

Dated:05/08/2020

To.

M/s : K R Food APC  
Village Bhirawati Teshil and Distt Nuh Haryana  
MEWAT  
122003

## Sub. : Grant of consent to Establish to M/s K R Food APC

Please refer to your application no. 7714948 received on dated 2020-07-09 in regional office Nuh.

With reference to your above application for consent to establish, M/s K R Food APC is here by granted consent as per following specification/Terms and conditions.

<b>Consent Under</b>	AIR/WATER
<b>Period of consent</b>	05/08/2020 - 04/08/2025
<b>Industry Type</b>	Food and food processing including fruits and vegetable processing
<b>Category</b>	ORANGE
Investment(In Lakh)	10372.0801
Total Land Area (Sq. meter)	50003.89
Total Builtup Area (Sq. meter)	30778.91
<b>Quantity of effluent</b>	
1. Trade	10.0 KL/Day
2. Domestic	5.0 KL/Day
Number of outlets	2.0
<b>Mode of discharge</b>	
1. Domestic	stp
2. Trade	ETP
<b>Permissible Domestic Effluent Parameters</b>	
1. BOD	30 mg/l
<b>Permissible Trade Effluent Parameters</b>	
1. BOD	30 mg/l
Number of stacks	2
<b>Height of stack</b>	
1. DG SETS 500 KVA	10 meters

2. 250 KVA DG set	10 meters
<b>Permissible Emission parameters</b>	
1. NA	
<b>Capacity of boiler</b>	
1. na	Ton/hr
<b>Type of Furnace</b>	
1. na	
<b>Type of Fuel</b>	
1. Diesel	.3 KL/day

**Regional Officer, Nuh**  
Haryana State Pollution Control Board.

### Terms and conditions

1. The industry has declared that the quantity of effluent shall be 15 KL/Day i.e 10KL/Day for Trade Effluent, 0 KL/Day for Cooling, 5 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act,1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.

11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
26. That unit will obtain consent to operate from the board before the start of product activity.

#### **Specific Conditions**

#### **Other Conditions :**

1. The unit will obtain consent to operate before starting the production / manufacturing activities. 2. The unit will provide latest new technology of STP/APCM and will provide proper sampling arrangements on their stacks and effluent sources. 3. The unit will install the project only on the land for which Town and Country Planning Department has given license. 4. The NOC is valid only for such land within this project which is under ownership of project proponent. 5. The unit will install adequate acoustic enclosures/chambers on their DG SETS with proper stack height as per prescribed norms to meet the prescribed standards under EP Rules. 6. Unit will apply for CTE Extension at least 90 days before expiry date of this CTE. 7. Unit will obtain all applicable clearances from all the concerned authorities. 8. Unit will comply all guidelines/Acts/Rules of CPCB/HSPCB/MOEF. 9. The unit will install adequate acoustic enclosures/chambers on their DG SETS with proper stack height and APCM as per prescribed norms to meet the prescribed standards under EP Rules,1986. 10. Unit will made agreement with GEPIL for dispose off hazardous waste (oily clothes, glubes and other waste) only in TSDF at pali with GEPIL and used/spent oil will be sold only to authorized recyclers / Re-refiners of hazardous waste as applicable and sold out waste plastic, packaging plastic etc. only authorized recyclers. 11.The unit will comply all the provisions of HWM Rules, 2016, E-Waste Rules and Bio-Medical Waste Rules, 2016. 12.The unit will obtain prior NOC/Permission from central Ground Water Authority in case under ground water resource is used. 13. Unit will measure all safety measures required for these types of projects. 14. The unit will comply all the directions issued time to time by Hon'ble NGT, Hon'ble High Court and Hon'ble Supreme Court of India, SPCB, CPCB, MOEF and other State / Central Government Agencies. 15. Unit will comply the guidelines on Environment Management of Construction & Demolition Waste in March, 2017 issued by CPCB. 16. That in case any additional charges / fees / panelty etc. are found payable towards this CTE as per audit then the same shall be paid by the unit without any objection immediately as and when demanded by this office. 17. If at any stage found that unit was involved in any past violation regarding Environment Laws / Rules / Acts then CTE so granted shall be revoked automatically & legal action will be initiate against the project proponent. 18. That this CTE will not provide any immunity from any other Act/Rules/Regulations applicable to the project/land in question. 19. Unit will comply all the directions / guidelines issued time to time by Hon'ble EPCA. 20. The unit will obtain all necessary clearances from the concerned authorities and will adhere to all the applicable Environmental Laws/Acts/Notification regularly. In case of any violation found at any stage, this CTE will be revoked. 21. Increase of green belt cover by 40% of the total land area beyond the permissible requirement of 33%, wherever feasible. 22. Stipulation of greenbelt outside the project premises such as avenue plantation, plantation in vacant areas, social forestry etc. 23. Unit will not generate/ discharge any type of chemical effluent without prior approval of the board. 24. A detailed water harvesting plan may be submitted by the project proponent. 25. Stack emission level should be stringent than the existing standards in terms of the identified critical pollutants. 26. Unit will use biological treatment in ETP/STP. 27. This CTE is granted with above mentioned general and specific condition and unit will submit the compliance of above mentioned conditions.



*Regional Officer, Nuh  
Haryana State Pollution Control Board.*